

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/764,910	01/26/2004	Michael K. Bugenhagen	2487	2638	
28004 SPRINT	7590 07/03/2007		EXAMINER		
6391 SPRINT		•	PHAN, MAN U		
KSOPHT0101-Z2100 OVERLAND PARK, KS 66251-2100		•	ART UNIT	PAPER NUMBER	
			2616		
			MAIL DATE	DELIVERY MODE	
			07/03/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

				A		
		Application No.	Applicant(s)			
		10/764,910	BUGENHAGEN E	ΞΤ AL.		
	Office Action Summary	Examiner	Art Unit	T		
		Man Phan	2616			
Period fo	The MAILING DATE of this commu or Reply	nication appears on the cover she	et with the correspondence ac	ddress		
WHIC - Exte after - If NC - Failt Any	ORTENED STATUTORY PERIOD CHEVER IS LONGER, FROM THE Insions of time may be available under the provision SIX (6) MONTHS from the mailing date of this composition of period for reply is specified above, the maximum is ure to reply within the set or extended period for repreply received by the Office later than three months ed patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE OF THIS COMMI ns of 37 CFR 1.136(a). In no event, however, m imunication. statutory period will apply and will expire SIX (6) ly will, by statute, cause the application to become	UNICATION. ay a reply be timely filed MONTHS from the mailing date of this one ABANDONED (35 U.S.C. § 133).	,		
Status			•			
1)	Responsive to communication(s) file	led on 26 January 2004				
2a)☐	This action is FINAL .	2b)⊠ This action is non-final.				
	Since this application is in condition	/ _	matters, prosecution as to th	e merits is		
,—	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
	Claim(s) <u>1-28</u> is/are pending in the 4a) Of the above claim(s) is/sClaim(s) is/are allowed.		•			
6)⊠	Claim(s) <u>1-28</u> is/are rejected.		•			
7)	Claim(s) is/are objected to.					
8)[_]	Claim(s) are subject to restr	iction and/or election requirement	•			
Applicat	ion Papers		1			
9)[The specification is objected to by the	he Examiner.				
10)⊠ The drawing(s) filed on <u>28 June 2004</u> is/are: a) accepted or b) objected to by the Examiner.						
	Applicant may not request that any object	ection to the drawing(s) be held in ab	eyance. See 37 CFR 1.85(a).			
11)	Replacement drawing sheet(s) including The oath or declaration is objected to the oath of the oath or declaration is objected to the oath of the oath or declaration is objected to the oath of the oath					
Priority (under 35 U.S.C. § 119					
	Acknowledgment is made of a claim ☐ All b)☐ Some * c)☐ None of:	n for foreign priority under 35 U.S.	C. § 119(a)-(d) or (f).			
	1. Certified copies of the priority	y documents have been received.				
		y documents have been received	• • • • • • • • • • • • • • • • • • • •			
		s of the priority documents have b	een received in this National	Stage		
* (onal Bureau (PCT Rule 17.2(a)).				
•	See the attached detailed Office acti	on for a list of the certified copies	not received.			
Attachmen	t(s)					
	ce of References Cited (PTO-892)	4) Intervi	iew Summary (PTO-413)			
2) 🔲 Notic	e of Draftsperson's Patent Drawing Review (PTO-948) Paper	No(s)/Mail Date	·		
	mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date <u>5/4/04, 6/10/05</u> .		e of Informal Patent Application			

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Application/Control Number: 10/764,910 Page 2

Art Unit: 2616

DETAILED ACTION

1. The application of Bugenhagen et al. for a "Congestion handling in a packet communication system" filed 01/26/2004 has been examined. Claims 2-28 are pending in the present application.

2. The applicant should use this period for response to thoroughly and very closely proof read and review the whole of the application for correct correlation between reference numerals in the textual portion of the Specification and Drawings along with any minor spelling errors, general typographical errors, accuracy, assurance of proper use for Trademarks TM, and other legal symbols @, where required, and clarity of meaning in the Specification, Drawings, and specifically the claims (i.e., provide proper antecedent basis for "the" and "said" within each claim). Minor typographical errors could render a Patent unenforceable and so the applicant is strongly encouraged to aid in this endeavor.

Claim Rejections - 35 USC ' 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- This application currently names joint inventors. In considering patentability of the 4. claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- Claims 1-28 are rejected under 35 U.S.C.103(a) as being unpatentable over Addagatla et 5. al. (US#2005/0157646) in view of Das et al. (US#2005/0070230).

With respect to claims 1-2, the references disclose method and system for network congestion control in a packet communication system utilizing the Session Initiation Protocol (SIP) message, according to the essential features of the claims. Addagatla (US#2005/0157646) discloses in Fig. 7 a signaling diagram illustrated a call setup in the packet communication system between source 602 and destination 604, in which the proxy server 612 is capable of receiving and forwarding SIP signaling messages, such as SIP signaling messages to and/or from a network node comprising a fixed terminal operating as an originating SIP client 602. SIP is independent of the packet layer and only requires an unreliable datagram service, as it provides its own reliability mechanism. The embodiments of this invention provide for a bandwidth limit to be established during the SIP session such that the bandwidth of the source 602 is limited (or "throttled") to minimize or prevent congestion caused by a source, network and destination having differing bandwidth connections or throughput (a SIP message will contain priority

Application/Control Number: 10/764,910

Art Unit: 2616

indicators corresponding to various media resources, or media streams)(See also Figs. 6A-6B and [0069]-[0072]). Addagatla et al. (US#2005/0157646) further teaches an exemplary SIP packet illustrated in Fig. 8 comprised of a method name 802 (e.g., "Invite"), a request URI 804, (the Request-URI is a Uniform Resource Identifier and identifies the resource upon which to apply the request), headers 806, and message payload 808. In one embodiment of the invention, information about the bandwidth connection of the source 602, the destination 604, or any packet-processing platforms (not shown) that handle the communications between the source 602 and destination 604 is included in the header 806. The bandwidth connection of the destination 604 is included in the header 806 of the return message. Also, information about the bandwidth of packet processing platforms in the network 606 is returned to the source 602. Therefore, the source 602 will have bandwidth information about itself, the destination 604 and the network 606 between the source 602 and the destination 604 includes congestion notification. The source 602 may then set a bandwidth limit ("throttle value") that is at the lowest value of bandwidth connection or throughput of the source 602, destination 604 or network 606 ([0073] plus).

However, Addagatla does not disclose expressly wherein processing the priority information in the header of the call request message to determine if the call request message is for a high priority call. In the same field of endeavor, Das et al. (US#2005/0070230) teaches specifically to the Quality of Service (QoS) management and admission control for voice calls of varied classifications or prioritizations in a voice-over IP (VoIP) network, and provide a differentiation in quality based on the priority level of the call as well as provide quality to all calls in the system. The highest priority calls, for instance, must not be blocked, and receive the

Art Unit: 2616

best voice quality, even during traffic overloads and IP network congestion. Das teaches in Fig. 3 the flow charts illustrated a series of method steps for processing new voice calls based upon relative priority and network capacity, in which the method 300 starts at step 302 and proceeds to step 304 where Party A sends an invitation message to first softswitch 112.sub.1. The SIP invite message includes the dialed digits of Party B. If such new call is to be indicated as a relatively high priority call (as explained in greater detail below), Party A dials a prefix assigned to such higher priority calls as part of the dialed digits or indicate the priority in the message header field. At step 306, first softswitch 112.sub.1 initiates an authorization check to determine if Party A is registered on the network and is allowed to originate high priority calls. The specific decision step 308 determines whether Party A has specific authorization to create the high priority call. If it is determined (by, for example, prior data base or preset network profiles) that Party A is not authorized to originate a higher priority call, then the method proceeds to step 310 where the new call request is cleared and the method ends at step 312. If Party A is authorized to originate a high priority call, the method proceeds to step 314 where the priority level for the new call is set and a search is performed to determine which softswitch in the network has access to Party B. This step is essentially a mapping function that obtains the edge router serving Party B and making the appropriate network interconnections thereto ([0031]-[0032], [0048]).

It's also noted that the priority access and channel assignment feature in communications is well known in the art, in which the calls from the user devices are prioritized, and the call processing system distinguished between a regular or high priority subscriber. The call processing system may also distinguish between a regular, high or low priority call. As the volume of calls increases on packet networks and the cost for providing service decreases, the

Application/Control Number: 10/764,910

Art Unit: 2616

feature of prioritizing calls becomes more and more important to the service providers and the users.

Regarding claims 3-6, 14, Addagatla further teaches the limitation wherein the response message has a header that includes a congestion code indicating the state of congestion in the call processing system (See Fig. 8; [0073]), and to perform the call blocking in response to the congestion ([0075]; See also Fig. 5 of Das et al. [0023]-[0036]).

Regarding claims 7-13, Addagatla further teaches the limitation wherein the call processing system comprises a gateway controller (See Fig. 1B-C, [0046] plus); wherein the call processing system is configured to determine whether the call processing system is in the state of congestion ([0013]-[0015]); wherein the call request message comprises an SIP INVITE message (See Fig. 8; [0073] plus).

Regarding claims 15-28, they are method claims corresponding to the apparatus claims above. Therefore, claims 15-28 are analyzed and rejected as previously discussed with respect to the claims 1-14 above.

One skilled in the art would have recognized the need for effectively and efficiently allocation of QoS resource and network congestion control in a packet communication system, and would have applied Das's novel use of the priority-based quality of service in VoIP into Addagatla's teaching of the network congestion control in the exchange of data over an Internet Protocol (IP) network. Therefore, It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to apply Das' method for management of VoIP communications of various relative priority levels into Addagatla's system and method of

Application/Control Number: 10/764,910 .

Art Unit: 2616

network congestion control by UDP source throttling with the motivation being to provide a method and system for congestion handling in a packet communication system.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The Ibezim et al. (US#2005/0088973) is cited to show the congestion control in an IP network.

The Sonsodi et al. (US#6,977,933) is cited to show the methods and systems for providing SIP trunk groups.

The Stephenson et al. (US#6,977,994) is cited to show the portable high performance messaging system.

TheLee et al. (US#2005/0117556) is cited to show the method and system for supporting IP mobility of a mobile node in a mobile communication system.

The Tsukagoshi et al. (US#2004/0151166) is cited to show the packet communication system, network device and method of managing resource employed therefor.

The Han (US#2003/0219011) is cited to show the head end apparatus for media gateway control protocol type VoIP call service.

The Kuster et al. (US#7,106,722) is cited to show the system for media gateway to media gateway address information exchange.

Application/Control Number: 10/764,910

Art Unit: 2616

The Silverman et al. (US#7,050,447) is cited to show the multi level expedited forwarding per hop behavior.

The Rosenberg. et al. (US#6,937,597) is cited to show the signaling method for Internet telephony.

The Sorber (US#6,018,515) is cited to show the message buffering for prioritized message transmission and congestion management.

The Shimojo et al. (US#6,643,256) is cited to show the packet switch and packet switching method using priority control based on congestion status within packet switch.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to M. Phan whose telephone number is (571) 272-3149. The examiner can normally be reached on Mon - Fri from 6:00 to 3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel, can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-2600.

8. Information regarding the status of an application may be obtained from the Patent
Application Information Retrieval (PAIR) system. Status information for published
applications may be obtained from either Private PAIR or Public PAIR. Status information for
unpublished applications is available through Private PAIR only. For more information about

Art Unit: 2616

the PAIR system, see http://pair-direct.uspto.gov. Should you have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at toll free 1-866-217-9197.

Mphan

06/28/2007.

MAN U. PHAN PRIMARY EXAMINER